Thermostats T-Series

$\mathbf{\Omega}$ DBK

ÉLECTRONIQUE commercial@alcyonelectronique.fr



| Thermostat | FGT 100 | FGT 200 |
|--------------------------------|------------------------------------|----------------------------------|
| Function | Heating Control Normally Closed | Cooling Control Normally Open |
| Temperature Range (°C) | -10 to + 50 | 0 to +60 |
| Hysteresis (°C) | 7K ± 4K | |
| Current Rating at 230 VAC (A) | 16 | 10 |
| Current Rating at 115 VAC (A) | 15 | 10 |
| Current Rating at 24 VDC (A) | 2,5 | |
| Current Rating at 12 VDC (A) | 5 | |
| Voltage (Vac) | 115 - 230 | |
| Voltage (Vdc) | 12 - 24 | |
| Degree of enclosure protection | IP 20 | |
| Protection Class | Ш | |
| Dimensions LxWxH (mm) | 65x33x43 | |



FEATURES

- Thermostat for controlling heating or cooling systems with adjustable switching temperature
- Available as opener (heating) or closer (cooling)
- Wide temperature range
- Can be operated at 12 24V DC, 115 230V AC
- Adjustable temperature control
- Versions differentiated by button color
- Compact, lightweight design
- Easy installation with DIN clip (EN50022)

